

WWW.STEINER.DE

STEINER-OPTIK GMBH

Dr.-Hans-Frisch-Str. 9 · 95448 Bayreuth · Germany Tel. +49 921 7879-851 · Fax +49 921 7879-89 service@steiner.de



STEINER-OPTIK is a Beretta Holding company











CONTENT

6 TECHNOLOGY & INNOVATIONS

HUNTING

THERMAL DEVICES

10 NIGHTHUNTER H35

BINOCULARS

- 12 NIGHTHUNTER
- 14 LRF 1700 LASER RANGE FINDER
- 16 RANGER XTREME
- 18 OBSERVER

RIFLESCOPES

- 20 RANGER 6
- 22 RANGER 4
- 24 MRS MICRO REFLEX SIGHT

SHOOTING

RIFLESCOPES

- 28 M7Xi IFS
- 32 M7Xi / M8Xi
- 34 M5Xi

SIGHTS

- 36 S-SIGHTS
- 38 T-SIGHTS
- 40 MPS MICRO PISTOL SIGHT

ADVENTURE

- 44 WILDLIFE
- 46 SKYHAWK 4.0
- 48 BLUHORIZONS
- 50 SAFARI ULTRASHARP

MARINE


- 54 COMMANDER
- 58 NAVIGATOR

INFORMATION

- 60 SPECIFICATIONS BINOCULARS
- 62 SPECIFICATIONS RIFLESCOPES
- 63 SPECIFICATIONS SIGHTS
- 63 RETICLES
- 64 ACCESSORIES
- 65 WARRANTY /
- CUSTOMER SERVICE







FOREWORD

Over 70 years of history.

FAnyone who looks through Steiner binoculars can sense the passion and the fascinating success story of the traditional company, which was founded by Karl Steiner in 1947. Today, the company is a renowned international enterprise and has 150 employees in Bayreuth. Steiner-Optik is active in more than 80 countries around the world. The name Steiner-Optik has stood for top quality workmanship and precision craftsmanship for over 70 years. The vision of technically perfect binoculars that optimally inspire people in their experiences guided Karl Steiner throughout his life. This claim, which was continued by his son Carl Steiner, still stands as the company's guiding principle today. Steiner binoculars and riflescopes symbolise optical innovation and embody the highest quality in their workmanship. With a wide range of products in the fields of hunting, water sports and outdoor adventure, Steiner-Optik offers

Steiner-Optik in Bayreuth is the embodiment of maximum quality and trend-setting developments. The company philosophy is based not only on trust and consistency for customers, but also for partners and employees. The company's success story is based on enduring values, family tradition, maintaining Germany as a production location, creating new jobs, training qualified personnel and investing in research and development. Both the "Made in Germany" and "handmade by Steiner-Optik" seals of quality demonstrate first-class and durable technology. Steiner

the ideal product for every user, from beginners to professionals.

binoculars can therefore withstand even the toughest demands. No product leaves production without functional and material testing that is unrivalled in the industry and guarantees the optical brilliance and perfect functionality of the products. In order to constantly perfect the quality from Steiner, standards are constantly being redefined.

This is why Steiner can claim to be the global market leader in professional high-quality binoculars. Today, the factory in Bayreuth is one of the world's most modern production and research facilities for binoculars and target optics. Investments in the millions at the Bayreuth site create the prerequisites of personnel and technology that are required for continued success.

Steiner has also been the undisputed market leader for marine binoculars and the inventor of the compass binocular for many years, making it the first choice for sailors and captains from large ships to small boats. Every professional user relies on the outstanding quality and safety that only the special Steiner binoculars offer.

Since August 2008, Steiner-Optik has been part of the Beretta group of companies and is now part of the Beretta family. The Italian firearm manufacturer Beretta was first mentioned in a document as early as 1526, making it the oldest firearm manufacturer in the world. The company is based in Gardone Val Trompia, Italy. The Beretta group of companies includes Benelli, Uberti, Sako, Tikka and Burris, among others.

3D VIEW

Steiner porro prism binoculars are extremely robust and reliable. Ideal, therefore, for rigorous applications in any terrain, including the high seas. The porro system naturally delivers a realistic 3D image with maximum depth of field and outstanding clarity, allowing pinpoint laser range finding up to 1,700m at the touch of a button in a compact pair of binoculars. Even over vast distances, the user can clearly see whether one object is in front or behind the other.

Once adjusted to the eyes, a pair of porro binoculars will always provide a sharp image from 20 m, without the need for refocusing - and is therefore ideally suited for rapidly changing distances.




STEINER - RUGGED AND RELIABLE

The experience gained over decades from the use of our binoculars in the military sector, but also the feedback from users in more than 80 countries are put into all our products, making them, among other things, the most robust in the world. Every single glass goes through demanding quality controls. Tests such as collimation, shock resistance, waterproofing and temperature resistance ensure that all our binoculars that leave the factory can withstand any extreme situation.

MORE LIGHT, BETTER IMAGE

All Steiner lenses are sourced through premium glass suppliers. The surfaces of the lenses are multi-coated. Innovative coatings made from rare fluorides and minerals maximise sharpness, colour and resolution. This demand for the highest glass quality makes the unsurpassed light transmission possible and consolidates Steiner's leading position on the world market.



UNIQUE NITROGEN-PRESSURE SYSTEM



The Steiner nitrogen-pressure-system prevents dirt and moisture from infiltrating the inside of the binoculars. Lens fogging or the formation of condensation are impossible thanks to this proprietary high-tech solution. Due to the unique method of filling via the 2-way valve technology, maintenance of the binoculars possible even after many

THE STEINER PROMISE...

With every optical quality product that leaves our factory, we give our customers across the world the promise that they can rely on Steiner products - no matter what the location or conditions - in any situation.

At Steiner, we have always taken care to ensure that each of our products is specialised for the toughest use. Accordingly, the features of ruggedness, precision and highest light transmission are top priorities for our customised optics products, so that out customers can quickly and precisely track, identify and achieve their targets. We underline this promise with our 30-year or 10-year guarantee, which applies to all our products. Together with our leading partners, we offer the best service in the industry.

BUILT FOR EXTREME CHALLENGES

The use of new types of high-tech materials sets new standards for optical performance and ruggedness. With decades of user experience in more than 80 countries in the military sector, which also goes into our civilian products, we can say that Steiner makes the most robust binoculars in the world. Every single glass goes through demanding quality controls. Tests such as collimation, shock resistance, waterproofing and temperature resistance ensure that all our binoculars that leave the factory can withstand any extreme situation.



CRAFTED TO SEE BETTER, NOT JUST FARTHER

Steiner-Optik in Bayreuth has been setting standards in the premium optics industry for over 70 years. The more than 460 rigorous steps that are necessary to produce the finished optics ensure the quality standards that we and our customers require for our optics products. Relentless research and development produces technologies such as nitrogen filling, laser protection filters, nano-protection and especially the Steiner-typical transmission-strong coatings. Consistent user feedback from water sports, hunting, military and outdoor sectors complement our user-focused product developments and associated top-level performance.



····· GUARANTEED STEINER ·····

The lenses and prisms for our premium optics are ground and polished by ourselves in the state-of-the-art factory in Bavreuth.



····· 100 % PRECISION ······ PERFECT COATINGS ·····

The multi-coated optics and all other components are assembled in the polycarbonate or magnesium die-cast housing in more than 460 high-precision manufacturing and inspection steps.



The coatings developed and vapour-deposited in-house by Steiner are designed to increase light transmission, enhance contrast and provide a sharp image, even under unfavourable lighting conditions.

IT STANDS FOR: PASSION, HARD WORK AND VISION TO DO THE RIGHT THING AT THE RIGHT MOMENT!

In order to be able to meet the high demands of hunting on a daily basis, hunters must unquestioningly rely on their equipment! Here, the functionality as well as the uncompromising quality of the hunting optics play a decisive role: extreme ruggedness – even under the toughest conditions – must be a given. But an authentic passion product for hunters can only be created if the performance of the optics also meets the highest demands and thus the most adverse weather and visibility conditions without limitation. Steiner hunting optics combine these characteristics, as they were developed by hunters for hunters. This means you are always that decisive moment ahead when hunting – every day anew!

THERMAL DEVICES

NIGHTHUNTER H35

BINOCULARS

NIGHTHUNTER LRF 1700 RANGER XTREME OBSERVER

RIFLESCOPES

RANGER RANGER BC MICRO REFLEX SIGHT





Comfortable observation with maximum sharpness of detail for the decisive moments. High contrast for precise identification, while others are just guessing.

MAGNIFICATION 2x I WEIGHT 695 g I LENGTH 232 mm I HEIGHT 72 mm

STEINER OUANTUM VISION

The heart of the Nighthunter H35 is the Steiner Quantum Vision. This represents the perfect combination of the most modern thermal sensor, outstanding display quality and high-end software development.

Quantum-Vision-Technology:

Outstanding ease of use and handling, plus legendary Steiner ruggedness, combine for outstanding performance in our new Nighthunter H35.

BE FAST

- High speed software
- Fastest detection
- Automatic calibration
- Clear pictures of moving targets

SEE THE DIFFERENCE

- The sharpest thermal image
- Impressive identification over long distance
- Optimized color preselection (landscape)
- Perfection for all weather conditions

SUCCEED

- Seeing while others only guess

Steiner Nighthunter products have always stood for the best optical performance in difficult light conditions and the ultimate in hunting success. With the new NIGHTHUNTER H35, we are once again living up to this claim and transferring it to the new electro-optical world. At the same time, we make the promise that with the Nighthunter H35 you get excellent observation quality, the greatest reliability and the highest technological innovation.

····· NIGHTHUNTER H35 OVERALL FEATURES ·····

OPTIMAL USER-FRIENDLINESS:

- ERGONOMIC SHAPE for easy use
- PRACTICAL OPERATION for maximum effectiveness
- EFFECTIVE RECOGNITION in any environment

LEGENDARY RUGGEDNESS:

- PROTECTIVE ARMORING to absorb any impact
- FOR THE HARDEST USE and tested by professionals
- NOISE REDUCTION for covert hunting

FUNCTIONAL CARRYING POCKET with high-quality accessories

FULL USABILITY even under extreme temperatures

OVER 4.5 HOURS OF OPERATION QUANTUM VISION TECHNOLOGY QUANTUM VISION TECHNOLOGY

NEW STEINER CONNECT APP for image, video, streaming and WiFi

RANGE 500 m 1000 m 1500 m 2000 m 2500 m 3000 m 3500 m Perceive Identify Perceive Recognise Identify





STEINER CONNECT APP

Connect.





NIGHTHUNTER 8X56

Experience for yourself the next evolutionary step of the ultimate night hunting binoculars made by Steiner!

MAGNIFICATION 8x | FIELD OF VIEW 135 m | WEIGHT 1090 g



CONTOURED EYE CUPS fold over for eyeglasses use



XL FIELD OF VIEW

135 m on 1000 m

STEINER LUMICLIP simple yet innovative to easily locate your binoculars!



TRANSMISSION (96%+)



CLICLOC strap attachment for instant neck strap release.

The evolution of a legend – The new NIGHTHUNTER 8X56 gives you the ability to identify game and take ethical shots when others cannot. Steiner's latest developments in binocular technology are the result of 70 years of optical development and innovation. This technology, combined with Steiner's hunting heritage, produces the ultimate optic for night hunting. The new Steiner Nighthunter - almost like having an unfair advantage.

····· NIGHTHUNTER OVERALL FEATURES ·····

- MAXIMUM (96%+) LIGHT TRANSMISSION: Success in hunting is about the odds. The longer you can hunt the better your odds of success. Extend your hunt every night. One more chance-one more look-one more shot. Steiner's advanced technology penetrates the shadows with incredibly bright images – See what other hunters are missing.
- SPORTS-AUTO-FOCUS: No need to fumble in the night chasing focus. To view objects in low light there is no bettersystem. Focus each eyepiece to your vision once, and then count on razor-sharp images from 20 meters to infinity. Clearly have the ability to determine your trophy of a lifetime no matter the darkness – Perfect focus all the time.
- WIDE FIELD OF VIEW: The more you can see the better hunter you can be. See every animal in the field and let Nothing Escape You with a huge 135-meter field of view.
- CLARITY IN THE NIGHT: Male or female? Trophy or not? Without a pair of Nighthunters you may never know – The porro prism design produces threedimensional depth perception to quickly locate and evaluate your target. Add to this Steiner's proprietary Diamond Night lens coating formula and you have superior clarity and contrast at dusk and dawn giving extra minutes of prime
- RUGGEDNESS, PRECISION AND PERFORMANCE: Steiner's always function when you need them. No worries when it comes to durability. With more than half a century of battle-proven reliability there are no better rugged-built optics that perform like a Steiner.
- CONTOURED EYE CUPS: Holding your binoculars in a way to block the sun with your hands can be awkward. Peripheral light while using binoculars can impair your vision no matter the time of day. Steiner's patented eyecups allow you to take advantage of the Nighthunter's amazing optical technology and always see the clearest image possible.
- STEINER LUMICLIP: When you can hear your prey but can't see him you must be quiet as a field mouse. Don't stumble in the dark groping for your binoculars creating noise that will send game running. Steiner's new LumiClip is simple yet innovative. The luminescent clip glows with just enough light to easily locate your binoculars in the darkest night.









Art.-Nr. 2316

LRF 1700 10X30

Binoculars with all the features plus high-contrast images at maximum resolution. The laser range finder offers new possibilities without the need for additional equipment.

MAGNIFICATION 10x | FIELD OF VIEW 108m | WEIGHT 785 g



Art.-Nr. 2315

LRF 1700 8X30

The LRF 1700 8x30 is surprisingly compact, lightweight and easy to use. It will quickly become a trusted and practical additional to your hunting gear.

MAGNIFICATION 8x | FIELD OF VIEW 114m | WEIGHT 795 g

LASER RANGE FIN	DER
Measuring range	Ranging accuracy
25 to 1.700 m	± 1 m to 300 m
Range dependent of weather and vision	± 2 m to 600 m
Range dependent of weather and visiont	± 0.5 % > 600 m



LRF 1700 - MEASURE WITHOUT THE NEED TO REFOCUS The most compact and lightweight binoculars - up to 20% less weight and volume - with precise laser distance measurement up to 1700 m, scan mode to continuously measure distance to moving targets and the legendary Steiner reliability and ruggedness.

······ LRF 1700 OVERALL FEATURES ······

- STEINER HIGH-DEFINITION-OPTICS for clear, razor sharp images in full contrast with maximum resolution right to the edge. A highly specialised coating provides first-class light transmission. Diffused light is reduced to a minimum. Contours are always sharp and distinctly visible.
- Top performing optics by SPORTS-AUTO-FOCUS SYSTEM that lets you focus each eyepiece to your vision once, then remains razor sharp from 20 m to infinity, no more chasing focus on moving targets. Bright, 3D-images.
- LEGENDARY RUGGEDNESS with durable polycarbonate Makrolon housing that withstands 11G of impact, Floating Prism System that uses flexible silicon to absorb severe shock, impact and abuse without damage, Water Pressure Proofness up to 5 m, Nitrogen-Pressure-Filling into the optic against fogging up inside at temperature range between -40 °C to +80 °C and the protective, hydrophobic Steiner Nano-Protection on the lenses making water sheeting off and dirt, dust, snow are repellent for easy cleaning and clear view.
- Versatile ERGOFLEX EYECUPS made of non irritating and non-ageing silicone, which provides a naturally comfortable feeling on the eyes and can also be adjusted three ways by simply folding it over: ergonomic shape, cylindrical classic setting and folded over for use with eyeglasses
- STEINER NONOISE AND COMFORT USE ELEMENTS are optimised for silent and intiutive operation. NBR-Rubber armouring particularly on the protruding operating elements ensure effective sound absorption. Especially good grip characteristics guarantee secure handling even with gloves.
- HIGH-END ACCESSORIES with case, neoprene-carrying strap, rain protection cap and objective covers.





RANGER XTREME 8X56

Large 56 mm objectives result in maximum light transmission for maximum clarity and sharp contrast at dawn and dusk.

MAGNIFICATION 8x I FIELD OF VIEW 125m I WEIGHT 1130 g



RANGER XTREME 10X42

Features 10 x magnification to judge points or mass at shooting distance and track game at long range, with brightness to weight performance nothing in its category can match.

MAGNIFICATION 10x | FIELD OF VIEW 108m | WEIGHT 790 g

The RANGER XTREME SERIES was made for the ambitious hunter who expects a binocular to hunt as hard and as long as he does. You often get your best results at day's edge, when prey feed camouflaged by early sun or growing darkness. The light enhancing design of Ranger Xtreme binoculars unlocks the shadows they hide in, giving you clear game-spotting vision in dim light. In full light, it lets you peer deeper in darkened woods, revealing sign and quarry that other hunters miss.

- STEINER HIGH-CONTRAST-OPTICS provide bright, brillant views, accurate colour and clear images with high contour sharpness for exceptional performance up to close range of 2 m.
- FAST-CLOSE-FOCUS central focusing wheel requires minimal, stepless rotation for quick absolute sharpness from close-up to infinity- comfortable, easy to use.
- OUTSTANDING RUGGEDNESS with durable polycarbonate Makrolon housing, Water Pressure Proofness to 3 m and the Nitrogen-Pressure-Filling into the optic against fogging up inside at temperature range between -20 °C to +80 °C. Non-slip NBR-Longlife rubber armour protection resists oil, acid or adverse weather. Impervious to harsh conditions for generations of trusted use.
- XL FIELD OF VIEW ensures an overview of search and observations activities.
- ERGONOMIC DESIGN with rubber armoured protruding controls providing comfortable and silent observations with effective sound absorption. Ergonomic pliable eyecups made of soft, skin-friendly and non-ageing silicone protect against incident light and draught. Simply to be folded down for use with eyeglasses. Thumb depressions for an excellent grip, even with gloves.
- · CLICLOC-STRAP ATTACHMENT SYSTEM attaches and releases neck strap with instant, push-button ease, and keeps binoculars hanging straight and action-ready.
- HIGH-END ACCESSORIES with high-end case, ClicLoc neoprene-carrying strap for instant, push-button ease, rain protection cap and objective covers.



Versatile, compact and easy to carry, perfect for rifle

Item No. 5116

MAGNIFICATION 8x I FIELD OF VIEW 125m I WEIGHT 780 g



hunting in a variety of environments. A lightweight all-terrain favourite with a great field of view.



IN LOW LIGHT CONDITIONS.

SUCCESSFUL HUNTING



HUNTING 17



OBSERVER 8X56

The new nitrogen-filled Observer 8x56 guarantees you to spot your game in all weather conditions.

Item No. 2335

MAGNIFICATION 8x | FIELD OF VIEW 112m | WEIGHT 1130 g



OBSERVER 10X42

10x power and bright images are perfect for long range detailed observations from close up to far away without added weight.

tem No. 2314

MAGNIFICATION 10x | FIELD OF VIEW 100 m | WEIGHT 706 g



OBSERVER 8X42

A versatile all-round binocular. Light-weight with bright images until twilight.

Item No. 2313

MAGNIFICATION 8x | FIELD OF VIEW 116m | WEIGHT 696g

The new **OBSERVER SERIES** are designed for a versatile use to match any situation under all conditions. Three full sized models in a lightweight design provide comfortable ergonomics for long-term observation, bright images, crisp resolution and a wide field of view. Hardly any other binocular gets you so close with such clear, sharp detail, for so little budget.

····· OBESERVER OVERALL FEATURES ·····

- **STEINER HIGH-CONTRAST-OPTICS** provide bright, brillant views, accurate colour and clear images with high contour sharpness for exceptional performance up to close range of 2 m.
- FAST-CLOSE-FOCUS central focusing wheel requires minimal, stepless rotation for quick absolute sharpness from close-up to infinity. Comfortable, easy to use.
- OUTSTANDING RUGGEDNESS with durable polycarbonate Makrolon housing, temperature range between -15 °C to +55°C.
 Non-slip NBR-Longlife rubber armour protection resists oil, acid or adverse weather.
- **ERGONOMIC DESIGN** with rubber armoured protruding controls providing comfortable and silent observations with effective sound absorption.
- **CYLINDRIC ROTATION EYECUPS** made of soft, skin-friendly and non-aging silicone.
- **LIGHTWEIGHT ROOF-PRISM DESIGN** has less bulk to stay out of the way while observing.
- FULL ACCESSORIES with bag, carrying strap, rain cover and lenses covers.



HUNTING 19

THE DRIVEN HUNT SPECIALIST: A classic driven-hunt riflescope with a large field of view across the magnification range. At 1x magnification, the field of view is an impressive 40.75 m at 100 m distance. The 4A-I illuminated reticle dot ensures fast target acquisition for shooting on the run and is also ideal for big game hunting.

Item No. 8765900204

TUBE DIAMETER 30 mm | LENGTH 268 mm | WEIGHT 490 g



THE ALL-ROUND SCOPE: This universal riflescope is ideal for various types of hunting. With its large field of view, it is the perfect choice during stalking or stand hunting at night. It also features the 4A-I illuminated reticle that is adjustable for optimum brightness in daylight or very low residual light at night.

Item No. 8767900204

TUBE DIAMETER 63,5 mm | LENGTH 338 mm | WEIGHT 754 g

Since their introduction in 2015, the Steiner Rangers have become one of the most successful series in Europe. We are now introducing the new RANGER 6-SERIES with many new innovations, improvements and the usual Steiner standard of quality. The innovative and consistent further development of the successful Ranger series.

OVERALL FEATURES

......

STEINER HIGH-CONTRAST-ED-OPTICS

The game stands out even more clearly from its surroundings with this special optic. We wanted to make it possible for hunters to react safely in all situations.

OUTSTANDING LIGHT TRANSMISSION (92%+)

Steiner's most advanced technology breaks through the darkness with incredibly bright images - take advantage of opportunities other hunters miss.

SIMPLE AND COMPACT HANDLING

due to the shorter length of the riflescope, we enable not only compact handling but also the easy use of modern additional clip-on devices, which can be combined according to preference.

· XL FIELD OF VIEW

......

40,75 m on 100 m (for Ranger 6 1-6x24) for perfect overview and safety in every situation.

PRECISE CLICK ADJUSTMENT

Audible and tactile click for intuitive operation in difficult lighting conditions.

STEINER ZEROMODE

In order to offer the perfect riflescope even in demanding situations, we have integrated the Zero Stop technology in our Ranger 6 riflescope for long-distance shots. After adjustment, the turret of the height control can always be reliably turned back to 0.

· 3-18X56 AVAILABLE WITH INTEGRATED BALLISTIC TURRET

· 3-18X56 AVAILABLE ALSO WITH S3I RETICLE



PERFECT ACCESSORIES: BALLISTIC CAPS











THE DRIVEN HUNT SCOPE: The perfect scope for fleeting shooting thanks to crystal clear illuminated dot and XL field of view.

Item No. 8769900204

TUBE DIAMETER 30 mm | LENGTH 290 mm | WEIGHT 500 g

NEW:



THE ALLROUNDER: A powerful riflescope that offers versatility through its impressive optical performance, especially in challenging situations.

Item No. 8770900204

TUBE DIAMETER 57,5 mm | LENGTH 340 mm | WEIGHT 620 g

NEW



THE NIGHT GLASS: Powerful riflescope that stands out especially when hunting in the last light due to the high light transmission and the enlarged field of view.

Item No. 8771900204

TUBE DIAMETER 63,5 mm | LENGTH 354 mm | WEIGHT 640 g

NEW



THE RANGE SPECIALIST: The perfect tool for ambitious hunters and shooters, allowing highly accurate shots at long distances.

Item No. 8774900404

TUBE DIAMETER 63,5 mm | LENGTH 375 mm | WEIGHTT 680 g

The evolution of the successful **RANGER RIFLESCOPE SERIES** offers everything you could wish for and much more, with optimised optical quality, reliable mechanics and outstanding ruggedness according to Steiner promises. A high-magnification riflescope and models with integrated mounting rail now complement the model range, so the new Ranger4 riflescopes will fully meet the diverse demands of hunters.

RANGER 4 OVERALL FEATURES

......

· XL-FIELD OF VIEW

For the greatest possible overview and the essential safety in every situation.

• IMPROVED LIGHT TRANSMISSION

Light transmission of 90%, ensuring reliably bright images, even under the darkest conditions at twilight.

STEINER HIGH-CONTRAST OPTICS

Ensures fast, brilliant and high-contrast images with high edge-to-edge sharpness and outstanding detail recognition.

RELIABLE AND PRECISE MECHANICS

Convinces with its repeatable and precise reticle adjustment. Illumination, windage and elevation turrets are audible and tactile, providing intuitive operation for the use.

• ELEGANT, LIGHTWEIGHT AND AESTHETIC DESIGN

The one-piece tubular bodies are coated with a satin and scratch-resistant hard anodizing according to highest standards, and with smooth transitions and elegant radii, they offer sufficient space for mounting attachments.

NEW: also available as a rail variant

for the models 1-4x24 and 3-12x56





NEW

DETERMINED IN PERFORMANCE

Outstanding optics and reliable mechanics in an optimised design. Powerful versatility and outstanding optical power for best performance.











MICRO REFLEX SIGHT PICATINNY RAIL

MAGNIFICATION 1x | WEIGHT 70 g | WIDTH 46 mm | HEIGHT 40 mm



MICRO REFLEX SIGHT UNIVERSAL RAIL

MAGNIFICATION 1x I WEIGHT 88g I WIDTH 46mm I HEIGHT 40mm

The prompt and accurate shot is the key to success in many hunting situations. At shorter distances, this is achieved with no other optics as easy as using the Micro Reflex Sight (MRS) red dot sight. In any weather and even in difficult lighting conditions. The ideal addition to your equipment.

..... MRS OVERALL FEATURES

- HIGH-PERFORMANCE OPTICS: High-resolution, crisp and clear image by multi-coated precision optics.
- PERFECT USE: Aiming with this optics is incredibly fast and safe. Regardless of the viewing distance and angle the red illuminated target point shows accurately to the target. Ideal for shooting with both eyes open.
- COMPACT DESIGN: The Steiner MRS impresses with its extremely compact design and is unsurpassed in terms of the low weight.
- INTELLIGENT ILLUMINATION: The automatic, environment-oriented illumination always provides the perfect brightness of the reticle. In addition, a 3-stage manual setting is possible. An Auto-Off switches the illumination of the reticle off after 8 hours.
- EXTREME RUGGEDNESS: Thanks to innovative sealing, moisture, dust and dirt cannot harm the optics of the Steiner MRS.
- EASE OF USE: The functions are controlled via a single key. Battery replacement is possible thanks to lateral compartment, without tools or dismantling of the optics.



3 МОА

Regardless of eye relief shows the red illuminated target point to the finish line. Ideal for shooting with both eyes open.

MICRO REFLEX SIGHT



[ORIGINAL SIZE]

FAST TARGET ACQUISITION UNDER ALL WEATHER CONDITIONS

Cristal clear red dot sight in every environment. Intuitive use. Compact and lightweight.



SHOOTING

BUILT FOR THE BEST — DESIGNED FOR SUCCESS

For many decades, Steiner products have been the first choice for military and special forces because they cannot compromise on precision, ruggedness and reliability.

Our products are tested to the highest military standards, guaranteeing unsurpassed optical and mechanical quality and performance, that is reflected in the unique reliability of our products.

Whether at the shooting range, in competition or in hunting - trust in the reliability of your own equipment is always indispensable.

We design the high-performance optics built for the best in the world - for superiority in every situation!

RIFLESCOPES

M7Xi IFS
M7Xi / M8Xi
M5Xi
S-SIGHTS
T-SIGHTS
MICRO PISTOL SIGHT





The Intelligent Firing Solution with integrated customizable display always provides all the important information in real time to the operator and sets a new benchmark as the ultimate long-range riflescope.

Item No. 8719003601

TUBE DIAMETER 34 mm | LENGTH 390 mm | WEIGHT 1.150 g



Steiner enlarges the IFS line up of products including now also the versatile 2,9-20x50 IFS. With its wide zoom range it is ideal for any terrain and situation allowing for a fast and perfect shot from lower to mid-long range.

Item No. 8717003621

TUBE DIAMETER 34 mm | LENGTH 352 mm | WEIGHT 1.100 a

Steiner's new M7Xi IFS riflescope offers an Intelligent Firing Solution Interface that provides important information to the operator about levelling and current turret setting in real time. The builtin Ballistic Calculator and Sensor Suite use temperature, air pressure, inclination and wind drift to determine the bullet point of impact in real time. The display and user interface can be customized via Smartphone App (Bluetooth connection to user needs. Information can be easily moved, arranged or deactivated if needed.)

OVERALL FEATURES

- IFS INTELLIGENT FIRING SOLUTION with individually customizable display in the field of view showing every required information in real time - once set and you never lose sight of the target.
- The built in BALLISTIC CALCULATOR AND SENSOR SUITE determines the bullet point of impact in real time.
- · INDIVIDUAL CUSTOMIZABLE DISPLAY provides information about levelling and the current turret setting, allowing you to know the current exact shooting position in the field of view. Display and user interface can be customized to user needs.
- **BLUETOOTH-CONNECTIVITY** for easy set-up on the smart phone. Every information can be moved freely or can be deactivated if needed via smart-
- The **SHORT OVERALL LENGTH** of the scope creates more rail space for clip-on devices (e.g. thermal imaging or night vision devices) for superior operational capabilities in any combat situation.
- PRECISE WINDAGE/ELEVATION ADJUSTMENT is easy and accurate for repeatable accuracy, with tactile click-by-click feedback you can hear and feel.
- LOW PROFILE TURRETS provide outstanding situational awareness and additional mounting options for add-ons and accessories.
- EXTREME RUGGEDNESS AND RELIABILITY achieved through durable materials and reliable design. A sturdy 34mm tube provides reliability and more space for windage and elevation adjustments for longer shots.
- WATERPROOF AND SHOCKPROOF

The M7Xi IFS is waterproof up to 20 m (66Feet) and the operating temperature range is -46°C to +64°C. It can withstand up to 900Gs

· RETICLE VARIETY

The new M7Xi is available with MSR2, G2B, TReMoR3 reticle.





• DRAMATICALLY REDUCE THE TIME NEEDED T O TAKE THE SHOT

· ALL CURRENT SETTINGS AND SUGGESTED ADJUSTMENTS VISIBLE IN DISPLAY

• ONCE ACQUIRED, YOU NEVER LOOSE SIGHT OF YOUR TARGET

• INNOVATIVE BUT YET RUGGED, RELIABLE AND INCREDIBLY PRECISE

PRECISE WINDAGE AND • **ELEVATION ADJUSTMENT**

Easy and immediate for repeated accuracy, with click-by-click feedback you can hear and feel every small change. Second rotation indicator included. Turret adjustment is shown in the display.

UNMATCHED OPTICAL QUALITY

Military grade optics, legendary Steiner coating, world renowned ruggedness for an incredibly accurate and high tech riflescope that will never fail you.



The M7Xi IFS is powered by a simple AA battery. AA batteries are durable, reliable and easy to find anywhere in the world.

SENSOR SUITE

Sensors provide real time input for temperature, barometric air pressure and inclination.

MENU KEY PANEL

The user interface is very intuitive and easy to use. Soft touch buttons take the user through the quick and easy set-up.

AUTOMATICALLY CALCULATE • **ELEVATION SETTINGS** The M7Xi IFS provides the optimal firing solution setting for any given distance, bullet specifications, temperature and altitude. This firing solution will automatically adjust with changes in the elevation turret. **INCLINATION INDICATOR** Visible in the display, the live inclination level eliminates shooting error due to cant. PERFECT POINT OF IMPACT perfect point of impact.

The M7Xi IFS and M8Xi IFS automatically adjusts the reticle position using the provided environmental information. In a matter of seconds, it delivers the



1027 m

Simply rotate the elevation adjustment turret until the distance shown in display matches the distance of the target.

TARGET DISTANCE

Actual windage settings.

WINDAGE

■ SUGGESTED IDEAL **WINDAGE SETTINGS**

Based on distance, bullet specifications, temperature and altitude, the M7Xi IFS suggests the ideal windage setting. Just rotate the windage adjustment until it matches the indicated setting.

WIND SPEED AND **DIRECTION**

> Indicated wind speed and direction are shown as well.

THE M7XI IFS AND M8XI IFS DISPLAY IS 100% CUSTOMIZABLE.

KEEP THE INFORMATION THAT IS MOST IMPORTANT TO YOU IN YOUR FIELD OF VIEW TO CREATE A UNIQUE SHOOTING EXPERIENCE UNIQUE.



The 7x zoom gives the operator more fl exibility and a higher resolution for all distances while the large field of view and the outstanding optical quality create a perfect overview of the surroundings at all times.

Item No. 8723000226

TUBE DIAMETER 34 mm | LENGTH 387 mm | WEIGHT 950 g



Steiner introduces a new model for the successful and universally applicable M series. Especially the high detail recognition and optical quality due to the magnification of up to 20x is appreciated by special forces all over the world and enables a reliable hit rate on Targets up to 1,500m away.

Item No. 8716008421

TUBE DIAMETER 34 mm | LENGTH 352 mm | WEIGHT 920 a



The short overall length of the scope creates more rail space for clip-on devices (e.g. thermal imaging or night vision devices) for superior operational capabilities in any situation.

Item No. 8723000126

TUBE DIAMETER 34 mm | LENGTH 260 mm | WEIGHT 650 g

Based on the outstanding success of the M5Xi - used today by Special Forces around the globe - Steiner sets a new benchmark with the ultimate long-range riflescope M7Xi 4-28x56 with a 7x zoom and an impressive field of view (1.42-9 m at 100 m). The ultimative DMR riflescope M8Xi 1-8x24 offers an 8x zoom, which gives the operator more flexibility and a higher resolution from close guarter to midrange scenarios. The new Steiner M7Xi/M8Xi Series guarantees outstanding reliability, water proofness and withstands shocks up to 900Gs.

M7Xi/M8Xi OVERALL FEATURES

- The **SHORT OVERALL LENGTH** of the scope creates more rail space for clip-on devices (e.g. thermal imaging or night vision devices) for superior operational capabilities in any combat situation.
- LOW PROFILE TURRETS provide outstanding situational awareness and additional mounting options for add-ons and accessories.
- PRECISE WINDAGE/ELEVATION ADJUSTMENT is easy and accurate for repeatable accuracy, with tactile click-by-click feedback you can hear and feel.
- ILLUMINATED RETICLE with a brilliant image and a light transmission of more than 94%.
- HIGH PERFORMANCE OPTICS with repeatable and precise working
- EXTREME RUGGEDNESS AND RELIABILITY achieved through durable materials and reliable design. A sturdy 34mm tube provides reliability and more space for windage and elevation adjustments for longer shots.
- WATERPROOF AND SHOCKPROOF

The M7Xi is waterproof up to 20 meters with a functional range of -46°C to +64°C. It is rugged enough to withstand impact testing to 900Gs on all optical and electronic components.

· RETICLE VARIETY

The new M7Xi is available with MSR2, G2B, TReMoR3 reticle. The new M8Xi is available with DMR8i reticle.





The 3-15x is the perfect compromise of compact size and long-range performance. It provides outstanding visibility even in lowest light conditions combined with highest precision, accuracy and reliability.

Item No. 8707000101

TUBE DIAMETER 34 mm | LENGTH 365 mm | WEIGHT 920 g

The M5Xi SERIES offers ambitious hunters and sport shooters maximum performance even under toughest conditions. The high-grip, precise and accurate reticle adjustment offers, in combination with fine and detailed special reticles, many possibilities for every area of application. The M5Xi has been developed in close cooperation with international special forces mainly for rigorous demands of military missions around the globe. It has been tested in field operations under the toughest conditions by special forces, which is why it was even selected for the G29 of the Special Commando Forces of the Germany Army (KSK der Bundeswehr). The M5XI RIFLESCOPE **SERIES** from STEINER sets new standards in terms of performance, quality and reliability.

OVERALL FEATURES

- **5X ZOOM** provides maximum range at the high end, wider field of view at the low end, and eliminates any tunneling effect.
- HIGH PERFORMANCE OPTICS for 94% + light transmission to ensure optimal performance and better contrast in low light.
- ILLUMINATED RETICLE with seven night and four day levels with two "OFF" positions at each end, and quick standby levels between each for fast return
- OPTIMIZED EXTERIOR DESIGN with larger, positive grip elevation, windage, parallax and illumination knobs and nonslip diopter and magnification adjustment.
- PRECISE WINDAGE/ELEVATION ADJUSTMENT is easy and accurate for repeatable accuracy, with tactile click-by-click feedback you can hear and feel.
- **DUOSCALE** patented elevation adjustment with second-rotation scale that's hidden when inactive.
- EXTREME RUGGEDNESS engineered according to the highest military standards, rugged enough to withstand impact testing to 900Gs on all optical and electronic components. Water Pressure Proofness to 2 m. No dust, dirt or moisture can penetrate inside. Fogging or formation of condensation on the inside is completely eliminated by the STEINER Nitrogen-Pressure-Filling. Temperatures of -25 °C to +65 °C will not adversely affect the functionality.
- · RETICLE VARIETY

The M5Xi is available with G2B, MSR2, TReMoR3 and B4I reticle.





S432

The large eye box together with the excellent illumination settings (Rotary Digital Control) allows the operator to be effective in any environment.

Item No. 8794900103

MAGNIFICATION 4x | FIELD OF VIEW 11,8 m | LENGTH 143 mm | WEIGHT 640 g



The unmatched field of view (14,1 m) guarantees perfect perception of your surroundings at all times while the large eye relief (more than 80 mm) allows comfortable positioning in every situation.

Item No. 8793900103

MAGNIFICATION 3x | FIELD OF VIEW 14,8 m | LENGTH 142 mm | WEIGHT 590 g



The Steiner \$332 (3x zoom) and \$432 (4x zoom) are designed and engineered to be the best sights in the market due to the combination of optical quality, field of view, eye relief and a large eye box. The S-SERIES provides enhanced accuracy and quick target acquisition in a compact size with a bright and brilliant optical quality. They are easy to mount and simple to use becoming the most effective and convenient sights in the market.

OVERALL FEATURES

- 3X OR 4X MAGNIFICATION TARGET ACQUISITION UP TO 800 m
- VERY LARGE FIELD OF VIEW (\$332: 14,1m; \$432: 11,8 m) guarantees perfect perception of your surroundings.
- LARGE EYE RELIEF (= 80 mm) ensures comfortable handling in every
- VERY LARGE EYE BOX combined with the excellent illumination settings (Rotary Digital Control) ensures an effective use of the sight under every
- OUTSTANDING ILLUMINATION SETTINGS
- DIOPTER SETTING FROM -3 TO +3
- 100% FOG-PROOF WITH NITROGENE FILLING
- WATERPROOF AND SUBMERSIBLE UP TO 10 m
- SHOCKPROOF UP TO 900 Gs
- GERMAN PRECISION OPTICS
- M-LOK MOUNTING SYSTEM
- RUGGED CONSTRUCTION
- RELIABLE MECHANICS
- SIMPLE AND EASY TO USE
- FLIP-UP CAPS AND SPACERS INCLUDED
- RETICLE AVAILABLE FOR 5.56 AND 7.62 CAL AND P7TR

5432/5332

ENHANCED ACCURACY AND OUICK TARGET ACOUISITION

Designed to never fail in any situation.



The 5x magnification enables precise use for shooting distances up to 600 m

MAGNIFICATION 5x | FIELD OF VIEW 6,3 m | LENGTH 144 mm | WEIGHT 500 g



The 4x magnification makes the T432 the perfect all-rounder for short and medium distances.

MAGNIFICATION 4x I FIELD OF VIEW 7,9 m I LENGTH 129 mm I WEIGHT 470 g



The 3x magnification gives the shooter an extremely large field of view and makes the T332, with its short design and low weight, universally applicable.

MAGNIFICATION 3x I FIELD OF VIEW 10,5 m I LENGTH 122 mm I WEIGHT 450 g

The Steiner **T-SIGHTS** are tough, compact optics especially suited for AR platforms. Due to the optional 3x, 4x or 5x magnification paired with the illuminated STEINER Rapid Dot Reticle, the user is enabled to quickly acquire fast moving targets as well as close-up targets.

The **T-SIGHTS** are very short and lightweight and thanks to the rubber armoring they are increased in ruggedness. They are highly reliable, tough, shockproof, and waterproof (submersible up to 5 meters) and are fully adjustable up to +/- 50 MOA for elevation and windage.

The Steiner **T-SIGHTS** are waterproof, shockproof, fog proof with fully multi-coated lenses for brightness and clarity.

T-SERIES OVERALL FEATURES

- 3X, 4X OR 5X MAGNIFICATION for targeting out to 600 meters.
- SHORT AND LIGHT WEIGHT: Compact optics designed specifically for use on AR platforms.
- OUTSTANDING RUGGEDNESS: The T-Series is very short and lightweight and thanks to the rubber armoring they are in increased in ruggedness. They are highly reliable, tough, shockproof, and waterproof (submersible up to 10 meters) and are fully adjustable up to +/- 60 MOA for elevation and win-
- FULLY ILLUMINATED AND BRIGHT RETICLE

The Steiner T-Series provide a fast, clear aiming point in all light conditions with a fully illuminated ballistic reticle with 10 brightness settings for day & night operation.

PICATINNY BASE AT THE TOP

The T-Series adapts to all MIL -STD 1913 (Picatinny) rails and come with a picatinny base at the top that helps in mounting auxiliary sight for CQB operation.

- 100% FOG-PROOF WITH NITROGENE FILLING
- WATERPROOF AND SUBMERSIBLE UP TO 5 m
- SHOCKPROOF UP TO 600 GS
- RUGGED CONSTRUCTION
- · RELIABLE MECHANICS
- SIMPLE AND EASY TO USE
- FLIP-UP CAPS AND SPACERS INCLUDED
- RETICLE AVAILABLE FOR 5.56 AND 7.62 CAL

T536/T432/T332

COMPACT, LIGHTWEIGHT AND **OUTSTANDING IN RUGGEDNESS**

Functional design for universal use





NEW

MICRO PISTOL SIGHT

MAGNIFICATION 1x I WEIGHT 58 g (94 g with adaptor) I WIDTH 31.5 mm

The MPS (Micro Pistol Sight) is incredibly compact, and its ruggedness, enhanced by extra side wall, is up to the highest standards. Its closed design makes it perfect for any weather condition and reliable in the toughest environment.

..... MPS OVERALL FEATURES

- STEINER LEGENDARY RUGGEDNESS: The MPS is completely sealed, dustproof and water pressure-tight, making it particularly reliable.
- COMPACT SIZE: Its short size avoids any "tunnel-vision" while the low weight allows a perfect use.
- BRIGHT DOT: The brightens of the dot can be easily set and changed thank to the ergonomics button on the side of the product.
- EASY TO HANDLE: The battery run time puts the MPS on top of its class and the easily accessible battery compartment allows the battery change without removing the MPS from the gun.
- WIDE FIELD OF VIEW: The low magnification offers an field of view and a parallax-free function at ranges from 10 to to 150 meters.
- MOUNTING OPTIONS: The MPS is easily mountable on any gun Docter system compatible while most other manufacturer adaptors are available in the market.
- ADAPTOR PLATE FOR DOCTER SYSTEM



3,3 MOA

The 3,3 MOA dot allows fast and smooth target acquisition in any condition.

MICRO PISTOL SIGHT NEW





[ORIGINAL SIZE]

COMPACT PRECISE RUGGED.

In any situation, no matter how stressful, you can always rely on your Steiner MPS.



STEINER-OPTIM

ADVENTURE

BUILT FOR A LIFETIME OF EXCEPTIONAL EXPERIENCES

You pass this way but once. Make sure you see it clearly: all the colour and contrast, every breath-taking detail, all laid out with depth and clarity only Steiner's world-class optical technology and adventure-loving construction can provide. Every hike, cruise, outing and event has its own unforget-table high point. Make the most of it with the best companion you could have along: Steiner Outdoor binoculars.

WILDLIFE SKYHAWK 4.0 BLUHORIZONS SAFARI ULTRASHARP





WILDLIFE 10X42

The 10x42 with 10 times magnification for the best observation of little details at long distances.

MAGNIFICATION 10 x I FIELD OF VIEW 108 m I WEIGHT 716 g



MAGNIFICATION 8x I FIELD OF VIEW 125m I WEIGHT 725g

WILDLIFE 8X42

The 8x42 with a wider field of view for

a more stable image also when you are moving.

The new WILDLIFE BINOCULARS SERIES perfectly represents everything Steiner stands for: innovation, extreme ruggedness, usability, high optics quality and outstanding mechanical reliability. The New Steiner WILDLIFE is designed and developed for the ambitious outdoorsmen and outdoorswomen who cannot accept compromise when it comes to equipment. When the weather becomes a threat, you need your equipment to be reliable. The new design and re-engineered optics make the new WILDLIFE a companion you can always trust, especially in the most adverse conditions.

- STEINER HIGH-DEFINITION-OPTICS deliver razor-sharp images with high image contrast and brilliant colour definition. First-class coating technology and light transmission always provide clear and bright images, even in poor light conditions.
- FAST-CLOSE-FOCUS central focusing wheel requires minimal, stepless rotation for quick absolute sharpness from close-up to infinity- comfortable, easy to use.
- **DISTANCE-CONTROL-SYSTEM** is the fastest focussing system in the market and enables pre-setting of observation distance and sharp focussing by one simple turn of the non-slip XL-focussing wheel. (10x42 and 8x42 Models)
- XL FIELD OF VIEW ensures an overview of search and observations activities.
- ERGONOMIC DESIGN ensures extreme handiness and compactness.

- EXTREME RUGGEDNESS with durable polycarbonate Makrolon housing, Water Pressure Proofness to 3 m and the Nitrogen-Pressure-Filling via the two-wayvalve-system against fogging up inside the optics at a temperature range between -20 °C to +70 °C. Non-slip NBR-Longlife rubber armour protection resists oil, acid or adverse weather. Impervious to harsh conditions for generations of trusted use.
- ERGONOMIC EYECUPS made of skin-friendly, non-ageing silicone provide observation comfort and protection against incident light and draught. Simply folded down for use with eyeglasses.
- CLICLOC-STRAP ATTACHMENT SYSTEM attaches and releases neck strap with instant, push-button ease, and keeps binoculars hanging straight and action-ready.



Item No. 2323

WILDLIFE 10.5X28

The 10.5x magnification offers more power and performance without sacrifi cing weight for detailed nature studies. The light yield in poor weather conditions or at dusk is astounding and will amaze you in all situations.

MAGNIFICATION 10,5 x I FIELD OF VIEW 88 m I WEIGHT 344 g



The small flyweight with 8x magnification is the ideal companion for hiking and mountain/rock climbing. Great optical performance, large field of view and extremely rugged.

Item No. 2321

MAGNIFICATION 8x I FIELD OF VIEW 114m I WEIGHT 346g

WILDLIFE 8X24



DON'T SETTLE FOR COMPROMISE

unfailingly reliable, field-tested binoculars to deliver superbly bright, accurate images right to the edge in any situation.



ADVENTURE 45



SKYHAWK 4.0 10X42

From close up to far away, this mid-size SkyHawk 4.0 10x42 delivers bright, crisp images with a bright 42mm aperture. 10x power for great long-range detail, perfect for wide-open country and hilly regions.

MAGNIFICATION 10x | FIELD OF VIEW 108m | WEIGHT 745 g



SKYHAWK 4.0 8X42

It is an all-around favourite without added bulk or weight. Versatile enough for observation even in difficult weather conditions. Large field of view and comfortable, calm handling.

MAGNIFICATION 8x I FIELD OF VIEW 125m I WEIGHT 750 g

Anyone who keeps a close eye on nature experiences a unique fascination. This is exactly what we have developed the SKYHAWK 4.0 for: to observe nature clear and sharp at any times. The new SKYHAWK SERIES offers a unique optic experience and impresses of course with the already legendary STEINER ruggedness.

- STEINER HIGH-CONTRAST-OPTICS provide bright views, accurate colour and clear, brilliant 3D-images with high contour sharpness for exceptional performance around outdoor activities up to close range of 2 m.
- FAST-CLOSE-FOCUS central focusing wheel requires minimal, stepless rotation for quick absolute sharpness from close-up to infinity - comfortable, easy to use.
- DISTANCE-CONTROL-SYSTEM enables pre-setting of observation distance and sharp focusing by one simple turn of the non-slip XL-focusing wheel.
- OUTSTANDING RUGGEDNESS with durable polycarbonate Makrolon housing, Water Pressure Proofness to 3m and the Nitrogen-Pressure-Filling into the optic against fogging up inside at temperature range between -20 °C to +70 °C. Non-slip NBR-Longlife rubber armour protection resists oil, acid or adverse weather. Impervious to harsh conditions for generations of trusted use.
- ERGONOMIC DESIGN providing comfortable long-term observations. Ergonomic pliable eyecups made of soft, skin-friendly and non-ageing silicone protect against incident light and draught. Simply to be folded down for use with eyeglasses. Finger depressions for an excellent
- LIGHTWEIGHT roof prism design has less bulk to fit into your pack and stay out of the way while observing.
- EXTENSIVE ACCESSORIES with case, neoprene-carrying strap, rain protection cap and objective covers.



SKYHAWK 4.0 10X32

10x magnification for long distance observation that reveals a fascinating wealth of natural details. Provides ample power and superb optical performance.

Item No. 2337

MAGNIFICATION 10x I FIELD OF VIEW 118m I WEIGHT 600g



SKYHAWK 4.0 8X32

8x32 model is ideal for mobile bird and nature watchers who need the versatility of lightweight, good magnification and wide view, also for long-term observations.

MAGNIFICATION 8x I FIELD OF VIEW 133m I WEIGHT 580 g



FAST. CLOSE. SHARP.

Feel nature with your eyes.



NEW

BLUHORIZONS 10X42

The 10x magnification enables high detail recognition and the large 42mm lens diameter ensures a clear view, even in low light conditions.

MAGNIFICATION 10x | FIELD OF VIEW 100m | WEIGHT XXX g



NEW

BLUHORIZONS 8X32

The good combination of weight, size and observation comfort make the 8x32 a perfect all-rounder between compact and full-size binoculars.

MAGNIFICATION 8x I FIELD OF VIEW 118 m I WEIGHT XXX g

Specially designed for all outdoor adventurers, the BLUHORIZONS not only fits in almost every pocket, it is also lightweight and extremely rugged. It is the world's first and only binocular with phototropic lenses. This means that it automatically adapts to the lighting conditions so that you always have optimum vision even in bright sunshine or light reflections.

- AUTOBRIGHT TECHNOLOGY automatically optimises the light transmission of the lens for maximum clarity in bright conditions. No reflections or glare from water, snow, sand or the sky. No squinting, no guessing and no eye strain. Simply a perfect image.
- EYES PROTECTION: Steiner's exclusive Autobright sunlight-adaptive lens technology automatically adjusts brightness to provide the best view in any lighting situation. Whether the sun is just below the horizon, shining directly overhead, or bouncing off water or snow from all angles, BluHorizons are designed to pick up the right amount of light and reduce glare for optimal visibility.
- FAST-CLOSE-FOCUS: minimal, stepless focusing on the centre drive for fast, razor-sharp detail from close-up to infinity. Comfortable and easy to use.

- EXTREME RUGGEDNESS due to durable housing, watertightness and functionality in the temperature range from -20 °C to +70 °C. Non-slip NBR longlife rubber armouring resists oil, acid and weathering.
- · COMPACT AND LIGHTWEIGHT DESIGN ensures razor-sharp images in the smallest of spaces, so you can take your binoculars with you wherever you go.
- ERGONOMIC EYECUPS made of non-irritant, non-ageing silicone provide a high degree of viewing comfort and protection against incident light and draughts. Easy to fold over for use with glasses.
- EXTENSIVE ACCESSORIES with a comfortable carrying strap and a unique, multifunctional neoprene carrying case.



BLUHORIZONS 10X26

With only 310g the 10x26 captivates with a high magnification and brings every object directly before your eyes. ts compactness makes it a constant companionin any luggage.

Item No. 2044

MAGNIFICATION 10x I FIELD OF VIEW 98 m I WEIGHT 310 g



BLUHORIZONS 8X22

At just 305g, the compact lightweight fits in any pocket and is ready to gowhen you need it. The ideal companion for travelers with light luggage!.

MAGNIFICATION 8x I FIELD OF VIEW 125m I WEIGHT 305 g



AUTOBRIGHT TECHNOLOGY

Sun protection factor for the eyes.



ADVENTURE 49



SAFARI ULTRASHARP 10X42

Versatile 10x magnification and a bright 42mm objective for maximum detail recognition at both close-range and greater distances. For an ambitious entry into outdoor applications.

MAGNIFICATION 10x I FIELD OF VIEW 100m I WEIGHT 720 g



Item No. 4477

SAFARI ULTRASHARP 10X26

10x magnification shows you more detail from farther away, perfect for sports events and wildlife observation. Compact, lightweight and multifunctional.

MAGNIFICATION 10 x I FIELD OF VIEW 101 m I WEIGHT 297 g



Item No. 4457

SAFARI ULTRASHARP 8X22

A featherlight, compact sport optic with 8x magnification that looks great, fits your pack, pocket or purse, and is your constant companion for quick use.

MAGNIFICATION 8x I FIELD OF VIEW 125m I WEIGHT 228 g

Every traveller, sports enthusiast, and active participant in anything needs a good pair of binoculars to see, understand and enjoy more. These are the ones you need: lightweight design, contemporary styling, comfort and simplictly, and a choice of power and capabilities let you pick the optics that fit you perfectly. Steiner's world-renowned image clarity, accurate colour and field-proven toughness ensure maximum performance from your optics - and more pleasure from your pursuit of adventure.

.....SAFARI ULTRASHARP **OVERALL FEATURES**

- · STEINER HIGH-CONTRAST-OPTICS provide bright views, accurate colour and clear, brilliant 3D-images with high contour sharpness for exceptional performance around outdoor activities.
- FAST-CLOSE-FOCUS central focusing wheel requires minimal, stepless rotation for quick absolute sharpness from close-up to infinity- comfortable, easy to use.
- · LIGHTWEIGHT, ERGONOMIC DESIGN ensures sharp, crisp images in minimal space, so you can keep your optics anywhere.
- EXTREME RUGGEDNESS with durable construction, water/ fogproofing you can trust to stand up to any cold or wet condition at a temperature range between -20 °C to +70 °C. Non-slip NBR-Longlife rubber armour protection resists oil, acid or adverse weather.
- ERGONOMIC EYECUPS made of skin-friendly, non-ageing silicone provide observation comfort and protection against incident light and draught. Simply folded down for use with eyeglasses (except 10x42).
- CLICLOC-STRAP ATTACHMENT SYSTEM attaches and releases neck strap with instant, push-button ease, and keeps binoculars hanging straight and action-ready (10x42).



COMPACT AND CAPABLE IS NO LONGER A CONTRADICTION

From compact to full-size, optics get you closer to things you enjoy most:

photo safaris, ocean cruises, concerts, sports events, and more. Wherever life takes you, these are the perfect companions.






WATER. ALL OF IT IS HOME TO STEINER.

It's not just wet. It's a whole different world. Fogbound mornings, afternoons of glaring sun and salt spray, nights like floating on ink. Always in motion, temperatures all over the board, distances that challenge land-bound perceptions. Steiner marine optics were built for this: water-proof, corrosion-proof, always crystal-clear, with special caotings, construction and capabilities specifically created for a water-borne life - from the inventor of compass binoculars.

COMMANDER GLOBAL COMMANDER LRF COMMANDER NAVIGATOR PRO







LARGEST AND MOST PRECISE COMPASS

With a 40 mm-diameter, the large integrated HD-Stabilized compass of the Commander 7x50c is a market leader. The bearing works thanks to the size of the compass and the optimized fluid damping quickly, accurately and reliably, even under extreme conditions. A user-friendly illumination and a precision reticle for exact size or distance calculation round off the high performance compass and give you that little bit of extra security on high seas. Rely on your safest navigational equipment on board.

XL FIELD OF VIEW

Rounding out the optical performance of the Commander with the best possible overview in any situation. The field of view was maximized by around 12% to 145m / 1000m. Significantly brighter, clearer images will thus provide perfect safety at sea.

THE COMMANDER AMONG BINOCULARS

The new Commander Series is unmatched in terms of technology and innovation. With its razor-sharp High-Definition-Optics and the most accurate analog compass as well as the optimum combination of functionality, ruggedness, precision and comfort the Commander binoculars define a new class. For the highest ambitions on the water, where there is no compromise.



Item No. 2305

COMMANDER 7X50c

Additionally integrates a fluid-dampened, HD stabilized illuminated compass with ranging reticle, creating one accurate and invaluable navigation tool.

MAGNIFICATION 7x I FIELD OF VIEW ≥145 m I WEIGHT 1190 g



Item No. 2304

COMMANDER 7X50

Delivers exceptional image clarity, sharp edge-to-edge-definition and contrast, as well as high light transmission for navigating in low light or fog.

MAGNIFICATION 7x I FIELD OF VIEW ≥145 m I WEIGHT 1090 g





The new **COMMANDER SERIES** is unmatched in terms of technology and innovation. With its razor-sharp High-Definition-Optics and the most accurate analog compass as well as the optimum combination of functionality, ruggedness, precision and comfort the Commander binoculars define a new class. For the highest ambitions on the water, where there is no compromise.

····· COMMANDER OVERALL FEATURES ·····

- STEINER HIGH-DEFINITION-OPTICS for clear images in full contrast with maximum resolution.
- **STEINER DIAMOND-MARINE-COATING** is a unique formula that reduces glare, enhances clarity and maximizes light transmission for optimized viewing in hazy light and after dark.
- Top performing optics by SPORTS-AUTO-FOCUS SYSTEM that lets you focus each eyepiece to your vision once, then keeps razor sharp from 20 m to infinity, no more chasing focus on moving targets, 3D-images and the specification 7x magnification and 50 mm objective produce a wide, stable view and bright, clear images in all conditions.
- XL-FIELD OF VIEW WITH 145 M/1000M for the utmost overview in every situation.
- LARGEST AND MOST PRECISE HD-STABILIZED COMPASS with user-friendly illumination and integrated precision reticle.
- **LEGENDARY RUGGEDNESS** with durable polycarbonate Makrolon housing that withstands 11G of impact, Floating Prism System to absorb severe shock, impact and abuse without damage, Water Pressure Proofness to 10m, Nitrogen-Pressure-Filling into the optic against fogging up inside at temperature range between -40°C to +80°C and the protective, hydrophobic Steiner Nano-Protection on the lenses making water sheeting off and dirt, dust, snow are repellent for easy cleaning and clear view.
- COMFORT-BALANCE-SYSTEM with NBR-Long Life rubber armouring (for better grip, protection and slip resistance on board), Steiner ComfortGrip thumb rests, versatile ErgoFlex Eyecups and the unique Memory-Ocular saving personal diopter settings.
- **HIGH-END ACCESSORIES** with hardcase, comfortably padded, 3M-ClicLoc floating strap, ClicLoc neoprene-carrying strap for instant, push-button ease, rain protection cap and objective covers.





NAVIGATOR 7X50c

An incredibly bright and detailed image paired with the largest compass in its class.

Item No. 23430920

MAGNIFICATION 7x | FIELD OF VIEW ≥ 128 m | WEIGHT 1115 g



NAVIGATOR 7X50

NEW

With 50 mm lens diameter a bright, brilliant image even in twilight.

Item No. 23420900

MAGNIFICATION 7x I FIELD OF VIEW ≥128 m I WEIGHT 1040 g

The new NAVIGATOR takes STEINER's popular marine series into a new generation with innovative product features. Handling is dramatically improved thanks to the new "Open-Bridge-System", while the texturing on the body allows for comfortable and strong grip in any situation. The STEINER Auto-Focus guarantees always sharp images even while handling the product with one hand. All models are reliable under the most adverse weather conditions and keep the promise of legendary STEINER ruggedness.

- STEINER HIGH-CONTRAST-OPTICS Delivers bright, high-contrast images, high contour sharpness, and brilliant 3D viewing experiences with natural colourreproduction.
- OPEN-BRIDGE-SYSTEM Thanks to the "open bridge" thebinoculars can now be gripped and held even more securely.
- ENHANCED COMPASS DESIGN The modified positioning of the lighting button makes the compass lighting even easier to operate.
- IMPROVED FIELD OF VIEW The further extended field of vision offers the best possible overview on the water.
- STEINER AUTO-FOCUS Once set, the STEINER Auto-Focus always delivers sharp images without refocusing.

SPECIAL RUBBER COATING TEXTURE

The new, wave-like rubber coating texture ensures a secure grip on the binoculars and significantly improves wearing comfort.

ADVANCED ACCESSORIES

- New carry bag, so your binoculars stay safe also during off-season
- Soft neoprene strap with new, universal attachment system
- Lens protection caps, Rain cover
- floating strap with 3M light stripes





NAVIGATOR 7X30c

Compact and lightweight combined with integrated HD-stabilised compass.

Item No. 23410920

MAGNIFICATION 7x I FIELD OF VIEW ≥128 m I WEIGHT 530 g




NAVIGATOR 7X30

Item No. 23400900











HUNTING THERMAL

Nighthunter H35

Item No. 8700000101 Detector Resolution 640 x 512 @ 12m Focal length 35mm F1.0

•	
Field of view at 100m	12,5 m x 9,4 m
System magnification	digital
Display	LCOS
Resolution	1280 x 960 Pixel
Output frame rate	50Hz
Screen size max.	22 Zoll
Magnification	2 x
Video output format	mp4 / jpg
Temperature range	-10 °C to +50 °C
Shock	30G
Waterproof	yes
Stadiametric Rangefinder	yes
PIP Function	yes
Color palettes	White hot / Black hot / Einstellbar Red hot / Iron / Blue hot
Calibration mode	Automatic
Stand-By Modus	yes
Weight	695 g
Width Height Depth	232 mm 70 mm 72 mm
USB	TYP C (USB 2.0 Standard),
Video interface	Micro HDMI
WiFi	yes (Steiner- Connect-App)
Working time	\geq 4,5 hours
Accessories	Performance Bag, Power adapter 5 V DC,
Battery	Li-Ion Akku, 6000 mAh, built-in
Warranty	2 years

					HUNTING	;				A	DVENTU	₹E
	Nighthunter 8x56	LRF 1700 10x30	LRF 1700 8x30	Ranger Xtreme 8x56	Ranger Xtreme 10x42	Ranger Xtreme 8x42	Observer 8x56	Observer 10x42	Observer 8x42	Wildlife 10x42	Wildlife 8x42	Wildlife 10.5x28
Item No.	2310	2316	2315	5118	5117	5116	2335	2314	2313	2325	2324	2323
Objektive diameter	56 mm	30 mm	30 mm	56 mm	42 mm	42 mm	56 mm	42 mm	42 mm	42 mm	42 mm	28 mm
Magnification	8 x	10 x	8 x	8 x	10 x	8 x	8 x	10 x	8 x	10 x	8 x	10,5 x
Weight	1090 g	785 g	795 g	1130 g	790 g	780 g	1130 g	706 g	696 g	716 g	725 g	350 g
Width Height Depth	200 mm 212 mm 74 mm	165 mm 145 mm 69 mm	165 mm 145 mm 69 mm	142 mm 183 mm 80 mm	125 mm 147 mm 63 mm	125 mm 147 mm 63 mm	144 mm 183 mm 80 mm	128 mm 148 mm 65 mm	128 mm 148 mm 65 mm	135 mm 165 mm 60 mm	135 mm 165 mm 60 mm	115 mm 130 mm 50 mm
Temperature range	-40°C to +80°C	-10 °C to +55 °C *	-10 °C to +55 °C *	-20°C to +80°C	-20°C to +80°C	-20 °C to +80 °C	-15 °C to +55 °C	-15 °C to +55 °C	-15 °C to +55 °C	-20 °C to +80 °C	-20 °C to +80 °C	-20°C to +70°C
Exit pupil	7,0 mm	3,0 mm	3,75 mm	7,0 mm	4,2 mm	5,3 mm	7,0 mm	4,2 mm	5,3 mm	4,2 mm	5,3 mm	2,7 mm
Luminosity	49	9	14	49	18	28	49	17,6	27,6	18	28	7
Twilight factor	21,2	17,3	15,5	21,2	20,5	18,3	21	20,5	18,3	20,5	18,3	17,1
Field of view at 1000 m	135 m	108 m	114 m	125 m	108 m	125 m	112 m	100 m	116 m	108 m	125 m	88 m
Focusing system	Sports- Auto-Focus	Sports- Auto-Focus	Sports- Auto-Focus	Fast-Close- Focus	Fast-Close- Focus	Fast-Close- Focus	Fast-Close- Focus	Fast-Close- Focus	Fast-Close- Focus	Fast-Close- Focus	Fast-Close- Focus	Fast-Close- Focus
Close focus range	-	-	-	2,3 m	1,9 m	1,9 m	2 m	2 m	2 m	2 m	2 m	2 m
High-Performance- Optics	High-Definition XP-Optics	High-Definition Optics	High-Definition Optics	High-Contrast	High-Contrast	High-Contrast	High-Contrast	High-Contrast	High-Contrast	High- Definition	High- Definition	High- Definition
Nano-Protection	yes	yes	yes	-	-	-	-	-	-	-	-	-
Waterproof	up to 5 m	up to 5 m	up to 5 m	up to 3 m	up to 3 m	up to 3 m	up to 1 m	yes	yes	up to 3 m	up to 3 m	up to 2 m
Steiner Nitrogen-Pressure-System	by 2-way-valve technology	yes	-	-	by 2-way-valve technology	by 2-way-valve technology	by 2-way-val technology					
Rubber armouring	NBR-Longlife	NBR-Longlife	NBR-Longlife	NBR-Longlife/ ComfortGrip	NBR-Longlife/ ComfortGrip	NBR-Longlif						
Eyecups	ErgoFlex	ErgoFlex	ErgoFlex	Ergonomic Rotation Eyecup	Ergonomic Rotation Eyecup	Ergonomic Rotation Eyecup	Cylindrical Rotation Eyecup	Cylindrical Rotation Eyecup	Cylindrical Rotation Eyecup	Ergonomic Rotation Eyecup	Ergonomic Rotation Eyecup	ergonomic
Compass	-	-	-	-	-	-	-	-	-	-	-	-
Bearing	-	-	-	-	-	-	-	-	-	-	-	-
Carrying strap	Neoprene	Standard	Standard	Neoprene	Neoprene	Neoprene	Neoprene	Standard	Standard	Neoprene	Neoprene	Neoprene
Strap attachment	ClicLoc	Standard	Standard	ClicLoc	ClicLoc	ClicLoc	Standard	Standard	Standard	ClicLoc	ClicLoc	ClicLoc
Objektive cover	yes	yes	yes	yes	yes	-						
Rain protection cap	yes	yes	yes	yes	yes	yes						
Carry case	yes	yes	yes	yes	yes	yes						
Battery	-	CR2	CR2	-	-	-	-	-	-	-	-	-
Warranty	30 years	30 years**	30 years**	10 years	10 years	10 years	10 years	10 years	10 years	30 years	30 years	30 years

SPECIFICATIONS


					ADVE	NTURE								MAF	RINE		
Wildlife 8x24	SkyHawk 4.0 10x42	SkyHawk 4.0 8x42	SkyHawk 4.0 10x32	SkyHawk 4.0 8x32	BluHorizons 10x42	BluHorizons 8x32	BluHorizons 10x26	BluHorizons 8x22	Safari UltraSharp 10x42	Safari UltraSharp 10x30 CF	Safari UltraSharp 8x30 CF	Commander 7x50 c	Commander 7x50	Navigator 7x50 c	Navigator 7x50	Navigator 7x30 c	Navigator 7x30
2321	2339	2338	2337	2336	2345	2344	2044	2043	2308	4406	4405	2305	2304	23430920	23420900	23410920	23400900
24 mm	42 mm	42 mm	32 mm	32 mm	42 mm	32 mm	26 mm	22 mm	42 mm	30 mm	30 mm	50 mm	50 mm	50 mm	50 mm	30 mm	30 mm
8 x	10 x	8 x	10 x	8 x	10 x	8 x	10 x	8 x	10 x	10 x	8 x	7x	7x	7x	7x	7x	7x
350 g	745 g	750 g	600 g	580 g	740 g	590 g	310 g	305 g	720 g	611 g	611 g	1190 g	1090 g	1115 g	1040 g	530 g	499 g
115 mm 121 mm 50 mm	120 mm 147 mm 65 mm	122 mm 147 mm 65 mm	115 mm 127 mm 60 mm	115 mm 127 mm 60 mm	125 mm 147 mm 60 mm	118 mm 127 mm 58 mm	111 mm 114 mm 46 mm	111 mm 103 mm 44 mm	128 mm 148 mm 65 mm	166 mm 120 mm 57 mm	166 mm 120 mm 57 mm	206 mm 157 mm 96 mm	206 mm 157 mm 75 mm	208 mm 140 mm 87 mm	208 mm 140 mm 70 mm	165 mm 106 mm 62,5 mm	165 mm 106 mm 50 mm
-20 °C to +70 °C	-20°C to +70°C	-20 °C to +70 °C	-20°C to +70°C	-20°C to +70°C	-20 °C to +70 °C	-20°C to +70°C	-20 °C to +70 °C	-20°C to +70°C	-20°C to +70°C	-20 °C to +70 °C	-20°C to +70°C	-40 °C to +80 °C	-40°C to +80°C	-20 °C to +70 °C	-20°C to +70°C	-20°C to +70°C	-20 °C to +70 °C
3,0 mm	4,2 mm	5,3 mm	3,2 mm	4,0 mm	4,2 mm	4,0 mm	2,6 mm	2,8 mm	4,2 mm	3,0 mm	3,8 mm	7,1 mm	7,1 mm	7,14 mm	7,14 mm	4,29 mm	4,29 mm
9	17,6	27,6	10,2	16,0	17,64	16,0	6,8	7,6	17,6	9,0	14,0	51,2	51,0	51,0	51,0	18,4	18,4
13,9	20,5	18,3	17,9	16,0	20,49	16,0	16,1	13,3	20,5	17,3	15,5	18,7	18,7	18,7	18,7	14,5	14,5
114 m	108 m	125 m	118 m	133 m	100 m	118 m	98 m	125 m	100 m	105 m	120 m	≥ 145 m	≥ 145 m	≥ 128 m	≥ 128 m	≥ 128 m	≥ 128 m
Fast-Close- Focus	Fast-Close- Focus	Fast-Close- Focus	Fast-Close- Focus	Fast-Close- Focus	Fast-Close- Focus	Fast-Close- Focus	Fast-Close- Focus	Fast-Close- Focus	Fast-Close- Focus	Sports-Auto- Focus Plus	Sports-Auto- Focus Plus	Sports- Auto-Focus	Sports- Auto-Focus	Steiner-Auto- Focus	Steiner-Auto- Focus	Steiner-Auto- Focus	Steiner-Auto- Focus
2 m	2 m	2 m	2 m	2 m	2 m	2 m	2 m	2 m	2 m	2 m	2 m						
High- Definition	High-Contrast	High-Contrast	High-Contrast	High-Contrast	High-Contrast	High-Contrast	High-Contrast	High-Contrast	High-Contrast	High-Contrast	High-Contrast	High- Definition	High- Definition	High-Contrast	High-Contrast	High-Contrast	High-Contrast
-	-	-	-	-	-	-	-	-	-	-	-	yes	yes	-	-	-	-
up to 2 m	up to 3 m	yes	yes	yes	yes	yes	yes	yes	up to 10 m	up to 10 m	up to 5 m	up to 5 m	up to 5 m	up to 5 m			
by 2-way-valve technology	-	-	-	-	-	-	-	by 2-way-valve technology	by 2-way-valve technology	by 2-way-valve technology	by 2-way-valve technology	by 2-way-valve technology	by 2-way-valve technology				
NBR-Longlife	NBR-Longlife	NBR-Longlife	NBR-Longlife	NBR-Longlife	NBR-Longlife	NBR-Longlife	NBR-Longlife	NBR-Longlife	NBR-Longlife	NBR-Longlife	NBR-Longlife	NBR-Longlife	NBR-Longlife	NBR-Longlife	NBR-Longlife	NBR-Longlife	NBR-Longlife
ergonomisch	Ergonomic Rotation Eyecup	Ergonomic Rotation Eyecup	Ergonomic Rotation Eyecup	Ergonomic Rotation Eyecup	Ergonomic Eyecup	Ergonomic Eyecup	Ergonomic Eyecup	Ergonomic Eyecup	Cylindrical Rotation Eyecup	ergonomic	ergonomic	ErgoFlex	ErgoFlex	Cylindric-soft	Cylindric-soft	Cylindric-soft	Cylindric-soft
-	-	-	-	-	-	-	-	-	-	-	-	High-Precision HD-stabilized	-	HD-stabilized	-	HD-stabilized	-
-	-	-	-	-	-	-	-	-	-	-	-	Precision Reticle	-	Bearing mark	-	Bearing mark	-
Neopren	Neoprene	Neoprene	Neoprene	Neoprene	yes	yes	yes	yes	Comfort	Neoprene	Neoprene	Neoprene & floating strap	Neoprene & floating strap	Neoprene	Neoprene	Neoprene	Neoprene
ClicLoc	Universal	Universal	Universal	Universal	Universal	Universal	Universal	Universal	ClicLoc	ClicLoc	ClicLoc	ClicLoc	ClicLoc	Standard	Standard	Standard	Standard
-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
-	-	-	-	-	-	-	-	-	-	-	-	CR 1/3 N	-	CR 1225	-	CR1225	-
30 years	10 years	10 years	10 years	10 years	10 years	10 years	10 years	30 years	30 years	10 years	10 years	10 years	10 years				

PE		F	CA		U	N5	
4A-I,	S3 -l	ANI) G28	MIL	-DO	T	

			NITNUH	NG RIFLES	SCOPES					SH	OOTING-R	RIFLESCO	PES	
	Ranger 6 1-6x24	Ranger 6 3-18x56	Ranger 4 1-4x24	Ranger 4 1-4x24 ZM-Rail	Ranger 4 2.5-10x50	Ranger 4 3-12x56	Ranger 4 3-12x56 ZM-Rail	Ranger 4 6-24x56	M7Xi IFS 4-28x56	M7Xi IFS 2,9-20x50	M7Xi 4-28x56	M7Xi 2,9-20x50	M5Xi 5-25x56	M8Xi 1-8x24
Item No.	8765900204	8767900204* 8767900230**	8769900204	8769903204	8770900204	8771900204	8771903204	8774900404	8719003601	8717003621	8719000101	8716008421	8704000101	8723000226
Effective objective diameter	24,0 - 12,0 mm	56,0 - 35,0 mm	24,0 - 8,0 mm	24,0 - 8,0 mm	50,0 - 18,0 mm	56,0 - 29,0 mm	56,0 - 29,0 mm	56,0 - 48,0 mm	56,0 - 37,8 mm	50,0 - 26,9 mm	56,0 - 37,8 mm	50,0 - 26,95 mm	56,0 - 49 mm	24,0 - 10,3 mm
Magnification min. / max.	1 x / 6 x	3 x / 18 x	1 x / 4 x	1 x / 4 x	2,5 x / 10 x	3 x / 12 x	3 x / 12 x	6 x / 24 x	4 x / 28 x	2,9 x / 20 x	4 x / 28 x	2,9 x / 20 x	5 x / 25 x	1 x / 8 x
Weight	490 g	754 g	500 g	532 g	620 g	640 g	672 g	680 g	1.150 g	1.100 g	950 g	920 g	1.000 g	650 g
Length	268 mm	338 mm	290 mm	290 mm	340 mm	354 mm	354 mm	375 mm	390 mm	352 mm	387 mm	390 mm	422 mm	260 mm
Length od Rail	-	-	-	145 mm	-	-	145 mm	-						
Temperature range	-25 °C to +65 °C	-25 °C to +65 °C	-25 °C to +63 °C	-25 °C to +63 °C	-25 °C to +63 °C	-25 °C to +63 °C	-25 °C to +63 °C	-25 °C to +63 °C	-32 °C to +63 °C	-32 °C to +63 °C	-46 °C to +63 °C	-46 °C to +63 °C	-25 °C to +63 °C	-46 °C to +63 °C
Exit pupil	4,35 - 10,45 mm	3,8 - 10,0 mm	7,8 - 5,5 mm	7,8 - 5,5 mm	7,8 - 5,0 mm	9,5 - 4,5 mm	9,5 - 4,5 mm	8,2 - 2,0 mm	12,0 - 6,0 mm	9,18 - 2,5 mm	12,0 - 4,7 mm	9,18 - 2,5 mm	9,8 - 2,2 mm	12,0 - 4,5 mm
Field of view at 100 m	≥ 40,75 - 7,0 m	≥ 14,05 - 2,41 m	≥ 40 - 10 m	≥ 40 - 10 m	≥ 16 - 4,0 m	≥ 13 - 3,3 m	≥ 13 - 3,3 m	≥ 6,7 - 1,7 m	9,0 - 1,4 m	12 - 1,8 m	9,0 - 1,4 m	12,0 - 1,78 m	7,2 - 1,4 m	34,2 - 4,5 m
Eye relief	90 mm	90 mm	90 mm	90 mm	90 mm	90 mm	90 mm	90 mm	87 mm	87 mm	87 mm	87 mm	90 mm	87 mm
Diopter setting	-3 to +2	-3 to +2	-3 to +2	-3 to +2	-3 to +2	-3 to +2	-3 to +2	-3 to +2	-3 to +2	-3 to +2	-3 to +2	-3 to +2	-3 to +2	-3 to +2
Parallax adjustment	100 m fix	50 m to infinity	100 m fix	100 m fix	100 m fix	100 m fix	100 m fix	50 m to infinity	50 m to infinity	50 m to infinity	50 m to infinity	50 m to infinity	50 m to infinity	100 m fix
Reticle	4A-I	4A-I \$3-I	4A-I	4A-I	4A-I	4A-I	4A-I	4A-I	G2B Mil-Dot MSR-2 TReMoR3	G2B Mil-Dot MSR-2 TReMoR3	G2B Mil-Dot MSR-2	G2B Mil-Dot MSR-2 TReMoR3	G2B Mil-Dot, MSR2, B4I-BE2, TReMoR3	DMR8i
Focal plane location	2nd focal plane	2nd focal plane	2nd focal plane	2nd focal plane	2nd focal plane	2nd focal plane	2nd focal plane	2nd focal plane	1st focal plane	1st focal plane	1st focal plane	1st focal plane	1. FP (B4I = 2.FP)	2nd focal plane
Reticle adjustment per click at 100 m	1 cm	1 cm	1 cm	1 cm	1 cm	1 cm	1 cm	1 cm	1 cm	1 cm	1 cm	1 cm	1 cm	1 cm
Max. adjustment in cm at 100m - elevation/windage	300 cm / 300 cm	170 cm / 110 cm	145 cm / 145 cm	145 cm / 145 cm	145 cm / 145 cm	116 cm / 116 cm	116 cm / 116 cm	72 cm / 72 cm	270 cm / 60 cm	270 cm / 60 cm	270 cm / 120 cm	270 cm / 60 cm	260 cm / 120 cm	270 cm / 120 cm
Objective tube diameter	30 mm	63,5 mm	24 mm	24 mm	50 mm	56 mm	56 mm	56 mm	62 mm	57 mm	62 mm	57 mm	62 mm	34 mm
Center tube diameter	30 mm	30 mm	30 mm	30 mm	30 mm	30 mm	30 mm	30 mm	34 mm	34 mm	34 mm	34 mm	34 mm	34 mm
Eye piece diameter	44 mm	44 mm	40 mm	40 mm	40 mm	40 mm	440 mm	40 mm	44,3 mm	44,3 mm	44,3 mm	44,3 mm	44,3 mm	44,3 mm
Reticle illumination	11 steps (6x night, 5x day) and OFF position between each step	and OFF position	11 steps (6x night, 5x day) and OFF position between each step		11 steps (6x night, 5x day) and OFF position between each step	11 steps (6x night, 5x day) and OFF position between each step	11 steps (6x night, 5x day) and OFF position between each step	11 steps (6x night, 5x day) and OFF position between each step	11 steps (6x night, 5x day) and OFF position between each step	and OFF position	and OFF position			11 steps (6x night, 5x day) and OFF position between each step
High-Performance- Optics	High Contrast- ED	High Contrast- ED	High Contrast	High Contrast	High Contrast	High Contrast	High Contrast	High Contrast	High Contrast	High Contrast	High Contrast	High Contrast	High Contrast	High Contrast
Steiner Nano-Protection	-	-	-	-	-	-	-	-	yes	yes	yes	yes	yes	yes
Water-Pressure Proof	up to 2 m	up to 2 m	up to 1 m	up to 1 m	up to 1 m	up to 21 m	up to 1 m	up to 1 m	up to 20 m	up to 20 m	up to 20 m	up to 20 m	up to 10 m	up to 10 m
Steiner Nitrogen- Pressure-System	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
Accessories	Objective- and ocular lens cover	Objective- and ocular lens cover	Objective- and ocular lens cover	Objective- and ocular lens cover	Objective- and ocular lens cover	Objective- and ocular lens cover	Objective- and ocular lens cover	Objective- and ocular lens cover	Objective- and ocular lens cover	Objective- and ocular lens cover	Objective- and ocular lens cover	Objective- and ocular lens cover	Objective- and ocular lens cover	Objective- and ocular lens cover
Warranty	10 years ***	10 years ***	10 years ***	10 years ***	10 years ***	10 years ***	10 years ***	10 years ***	10 years ***	10 years ***	10 years ***	10 years ***	10 years ***	10 years ***

	RED DO	T SIGHT			SIG	HTS		
	MRS Micro Reflex Sight	MRS Micro Reflex Sight	MPS Micro Pistol Sight	S332 Sight	S432 Sight	T332 Sight	T432 Sight	T536 Sight
Item No.	8700000000	8700000003	8700000025	8793900103	8794900103	8796900103	8797900103	879890010
Item No. with rail	-	-	-	_	_	-	-	-
Rail	Picatinny	Universal	Docter System	-	-	-	-	_
Effective objective diameter	21 x 15 mm	21 x 15 mm	20 x 16 mm	32 mm	32 mm	32 mm	32 mm	36 mm
Magnification min. / max.	1 x	1 x	1 x	3 x	4 x	3 x	4 x	5 x
Weight with mount	<70 g	<70 g	94 g	-	-	-	-	-
Weight without mount		88 g	58 g	620 g	734 g	450 g	470 g	500 g
Length	46 mm	46 mm	45 mm	139 mm	142 mm	122 mm	129 mm	144 mm
Temperature range	-25 °C to +55 °C	-25 °C to +55 °C	-40 °C to +60 °C	-30 °C to +65 °C	-30 °C to +65 °C	-20 °C to +60 °C	-20 °C to +60 °C	-20 °C to +60 °C
Exit pupil	-	-	-	9,5 mm	7 mm	10,2 mm	7,6 mm	7,2 mm
Field of view at 100 m	-	-	-	14,1 m	11,8 m	10,5 m	7,9 m	6,3 m
Eye relief	-	-	-	≥ 77 mm	≥ 77 mm	≥ 70 mm	≥ 70 mm	≥ 70 mm
Diopter setting	-	-	-	-3 to +3	-3 to +3	-2 to +2	-2 to +2	-2 to +2
Parallax adjustment	40 m fix	40 m fix	25 m fix	100 m	100 m	100 m	100 m	100 m
Reticle	3 MOA Dot	3 MOA Dot	3,3 MOA Dot	Rapid-Dot	Rapid-Dot	Rapid-Dot	Rapid-Dot	Rapid-Dot
Focal plane location	-	-	-	-	-	_	_	_
Reticle adjustment per click at 100 m	1 MOA @ 100 m 30 Clics per Rotation	1 MOA @ 100 m 30 Clics per Rotation	1 MOA @ 100 m 28 Clics per Rotation	1 cm	1 cm	1 cm	1 cm	1 cm
Max. adjustment in cm at 100m - elevation/windage	90 MOA / 90 MOA	90 MOA / 90 MOA	90 MOA / 90 MOA	50 MOA / 50 MOA	50 MOA / 50 MOA	50 MOA / 50 MOA	40 MOA / 40 MOA	35 MOA / 40 MOA
Objective tube diameter	-	-	-	-	-	-	-	-
Center tube diameter	-	-	-	-	-	-	-	-
Eye piece diameter	21 x 15 mm	21 x 15 mm	20 x 16 mm					
Reticle illumination	4 steps: automatic, low, medium, high, 2x NV	4 steps: automatic, low, medium, high, 2x NV	8 steps: (6x day/night 2x nightvision) Auto off a. 13h	8 steps: (5x day, 2x night 1x nightvision)	8 steps: (5x day, 2x night 1x nightvision)	8 steps: (5x day, 3x night 2x nightvision)	8 steps: (5x day, 3x night 2x nightvision)	8 steps: (5x day, 3x night 2x nightvisio
High-Performance- Optics	High Contrast	High Contrast	High Contrast	High Contrast	High Contrast	High Contrast	High Contrast	High Contra
Steiner Nano-Protection	-	-	-	-	-	-	-	-
Water-Pressure Proof	up to 2 m	up to 2 m	up to 10 m	up to 10 m	up to 10 m	up to 5 m	up to 5 m	up to 5 m
Steiner Nitrogen- Pressure-System	yes	yes	yes	yes	yes	yes	yes	yes
Accessories	-	-	-					
Warranty	10 years ***	10 years ***	10 years ***	10 years ***	10 years ***	10 years ***	10 years ***	10 years **

)(+
Reticle 4A-l illuminate Ranger 6	ed	Reti		-I illum nger 4	inated		(G2B M	il-Dot
A		C	-				•		
		╧┼					—	•	
B→I		1					Ī		
- Substensions		1-4	x24	2 5-1	0x50	_ 2-12	x56	6-2	1x56
in cm at 100 m		1x	4x	2.5x	10x	3 12 3x	12x	6x	24
at min./max.	Α	7.5	1.9	3.0	0.75	2.5	0.6	1.27	0.3
magnification.	В	36.0	9.0	14.4	3.6	12.0	3.0	6	1.5
	W	1,440	360	576	144	480	120	240	60
		16.3	4.1	6.5	1.6	5.4	1.4	2.73	0.6



Reticle S3-I illuminated

1-6x24 3-18x56

1x 6x 3x 18x

A 7.5 1.3 2.5 0.42

B 36.0 | 6.0 | 12.0 | 2.00

W 1,440 240 480 80

D 6.6 | 1.1 | 2.2 | 0.4

IFSi









ACCESSORIES

All STEINER products come with extensive accessories. Please see the details on each product page or the technical data pages 58 - 61.





• • • • • • • FLIP COVER FOR RIFLESCOPES

Lens and eyepiece protection for Ranger rifle scopes. Practical folding mechanism with no-noise system.

Item-No. 77040000 (for Ranger 4 1-4x24)

Item-No. 77030000 (for Ranger 4 2.5-10x50)

Item-No. 77020000

(for Ranger 4 3-12x56 and Ranger 4 6-24x56)

Item-No. 76910000 (for Ranger 6 1-4x24) Item-No. 76930000 (for Ranger 6 3-18x56)



Item-No. 77010000 (for Ranger 4 Modelle)



Item-No. 76980000 (for Ranger 6 Modelle)

The new Ranger BC riflescopes are equipped with five different cap sets, covering all important hunting bullets and calibers. Depending on the used caliber the corresponding cap is attached, then you just need a precise and quick reticle adjustment for a perfect shot.





COMFORT-HARNESS



hands-free and comfortable binocular carry. Raise the binocular to your for auick viewina.

Comfort Harness permits

return it to vour chest when done. Binocular is securely attached to the adjustable narness, removable quickrelease buckles. Relieves neck and back muscles and is secure and easy to use.

Item-No. 76900000 (fits all models, except compacts)



Floating Strap padded in a visible yellow, water-repellent, long-lasting waterproof jacket with integrated 3M fluorescent strip that keeps the binocular floating and reflects also in darkness. For maximum security on board.

Art.-Nr. 76800003 (for Commander models)

Art.-Nr. 76990000 (for Navigator 7x30 and Navigator 7x50 models)

STEINER WARRANTY. PERFORMANCE YOU CAN PASS DOWN.

With every STEINER optical product comes a lifelong relationship, with you and yours. We build trusted optics for life's defining moments. Pursuit of these moments demands quick detection, location and identification of your objective through your most important sense, vision. Be it in pursuit of wild life, a marine bearing, law enforcement suspect or military combatant, our commitment to quality and the STEINER Warranty is our promise that Nothing Escapes You.





The world wide 10 to 30 year STEINER Warranty means we stand behind our products. Over half a century of experience building rugged and reliable, mil-spec product and supplying them to professionals, amateurs and also armed forces all around the world allows us to have this

kind of confidence. We at STEINER are totally committed to the very highest standards of quality, dependability, and most of all customer satisfaction. Our Warranty assures you of that commitment. However, should one become defective within the warranty period, for any

reason other than theft or deliberate misuse, we will service it at no charge - no questions asked. We kindly ask for your understanding that wear parts such as rubber armouring, carrying straps. evecups or lens covers are not included in the scope of warranty.

If you have already purchased a STEINER product, kindly fill out the warranty registration: www.steiner.de

CUSTOMER SERVICE

Need repair or spare parts? Have questions or comments, need information or advice? Whenever you need help: please contact our expert team.

INTERNATIONAL E-Mail: service@steiner.de Tel: +49 (0) 921 7879-815 









